Best Available Copy

APS Research Results

FOR

INVENTOR(S):

DRYER, David C.; WILSON Leslie R.

CASE TITLÈ:

Selection of Graphical User Interface Agents by Cluster Analysis.

SERIAL NUMBER:

08/767,928

CLASS:

706

SUBCLASS: FILING DATE:

11 17 DEC 96

DATE:

18 SEP 98

Wilbert L. Starks, Jr. Art Unit 2762

23 SEP 1998 0900 HRS FILE 'USPAT' ENTERED AT 12:43:55 ON 23 SEP 1998

=> s software and wizard and communication

74237 SOFTWARE 200 WIZARD 293177 COMMUNICATION

L1 33 SOFTWARE AND WIZARD AND COMMUNICATION

=> focus

PROCESSING COMPLETED FOR L1 L2 33 FOCUS L1 1-

=> d 1-33

- 1. 5,335,276, Aug. 2, 1994, Communication system and methods for enhanced information transfer; E. Earle Thompson, et al., 380/21; 379/88.02, 88.13, 201, 357, 434; 380/23, 25; 455/74, 186.1, 558, 563, 566; 704/246, 272, 275 [IMAGE AVAILABLE]
- 2. 5.465.401, Nov. 7, 1995, Communication system and methods for enhanced information transfer; E. Earle Thompson, 455/558; 379/357, 420; 455/90, 343, 349, 411, 420, 501, 563, 564, 566 [IMAGE AVAILABLE]
 - 3. 5.784,555, Jul. 21, 1998, Automation and dial-time checking of system configuration for internet; Jeremy Daniel Stone, 395/200.5 [IMAGE AVAILABLE]
 - 4. 5,764,155. Jun. 9, 1998, Dynamic data exchange server; Veronica Kertesz, et al., 340/825.08, 825.06, 870.02, 870.03, 870.13; 370/432; 379/100.04, 100.07 [IMAGE AVAILABLE]
 - 5. 5.768,148, Jun. 16, 1998, Man machine interface for power management control systems; Thomas A. Murphy, et al., 364/528.21; 345/332; 702/67 [IMAGE AVAILABLE]
 - 6. 5,602,982, Feb. 11, 1997, Universal automated training and testing software system; Wallace P. Judd, et al., 345/326, 352; 434/118; 706/927 [IMAGE AVAILABLE]
 - 7. 5,778,187, Jul. 7, 1998, Multicasting method and apparatus; Antonio M. Monteiro, et al., 395/200.61; 370/351 [IMAGE AVAILABLE]
 - 8. 5.617,236, Apr. 1, 1997, Infrared communication device for multistandard operations; Li-Chen Wang, et al., 359/172, 137, 176;

i ii

- 9. 5,432,940, Jul. 11, 1995, System and methods for improved
- 286, DIG.1 [IMAGE AVAILABLE] 10. 5,786,921, Jul. 28, 1998, Infrared communication device for

computer-based training; Richard J. Potts, et al., 395/682; 364/221.3,

- multistandard operations; Li-Chen Wang, et al., 359/152, 113 [IMAGE AVAILABLE]
- 11. 5.664.204. Sep. 2, 1997. Apparatus and method for supplying power and wake-up signal using host port's signal lines of opposite polarities; Lichen Wang, 395/750.01; 326/62; 395/750.05, 882 [IMAGE AVAILABLE]
- 12. 5,593,349. Jan. 14, 1997. Automated league and tournament system for electronic games; Edward K. Miguel, et al., 463/30; 273/371: 463/1 [IMAGE AVAILABLE]
- 13. 5.461,699, Oct. 24, 1995, Forecasting using a neural network and a statistical forecast; Mansur Arbabi, et al., 706/21, 25, 925 [IMAGE AVAILABLE]
- 14. 5.797.031. Aug. 18, 1998. Method and apparatus for peripheral device control by clients in plural memory addressing modes: Raymond E. Shapiro, et al., 395/828, 840, 856, 868 [IMAGE AVAILABLE]
- 15. 5,790,855, Aug. 4, 1998, System, method and article of manufacture for type checking appropriateness of port connection and variable type matching in connection with multiport object-oriented components; Antony Azio Faustini, 395/701; 345/348 [IMAGE AVAILABLE]
- 16. 5,577,180, Nov. 19, 1996, Zone data streaming for 3-dimensional video environment; Lawrence P. Reed, 345/435, 302 [IMAGE AVAILABLE]
- 17. 5,497,464, Mar. 5, 1996, Address mapping logic for transferring data between a peripheral device of a base function expander unit and a palmtop computer as if the peripheral was a peripheral of the computer; Keming W. Yeh, 395/281; 364/231, 231.1, 231.2, 240, 240.2, 708.1, DIG.1: 395/308, 846 [IMAGE AVAILABLE]
- 18. 5,727,159, Mar. 10, 1998, System in which a Proxy-Server translates information received from the Internet into a form/format readily usable by low power portable computers; Dan Kikinis, 395/200.76 [IMAGE AVAILABLE]
- 19. 5,760,788, Jun. 2, 1998, Graphical programming system and method for enabling a person to learn text-based programming; Devindra S. Chainini, et al., 345/474, 348, 967 [IMAGE AVAILABLE]
- 20. 5,627,958, May 6, 1997, System and method for improved computer-based training: Richard J. Potts, et al., 345/336, 302, 340, 348: 434/118 [IMAGE AVAILABLE]
- 21. 5.767,854, Jun. 16, 1998, Multidimensional data display and manipulation system and methods for using same; Mohammed S. Anwar, 345/355, 419 [IMAGE AVAILABLE]
- 22. 5.475,375, Dec. 12, 1995, Electronic access control systems; Martin A. Barrett, et al., 340/825.31; 379/102.06 [IMAGE AVAILABLE]

- 23. 5.701.423, Dec. 23, 15. Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 345/335; 395/200.83; 705/22, 28; 707/102, 505 [IMAGE AVAILABLE]
- 24. 5,666,553, Sep. 9, 1997, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 707/540, 203 [IMAGE AVAILABLE]
- 25. 5,392,390, Feb. 21, 1995, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 345/335; 707/505 [IMAGE AVAILABLE]
- 26. 5,654,696, Aug. 5, 1997, Method for transferring auxillary data using components of a secure entry system; Martin A. Barrett, et al., 340/825.31; 70/63; 379/102.06 [IMAGE AVAILABLE]
- 27. 5,532,641. Jul. 2, 1996. ASK demodulator implemented with digital bandpass filter; Peruvemba S. Balasubramanian, et al., 329/311, 361; 375/320, 343 [IMAGE AVAILABLE]
- 28. 5,392,447. Feb. 21, 1995, Image-based electronic pocket organizer with integral scanning unit; Carl W. Schlack, et al., 345/339; 364/231, 231.1, 231.2, 231.3, 231.31, 237.82, 237.9, 709.11, DIG.1; 379/355 [IMAGE AVAILABLE]
- 29. 5,289,394, Feb. 22, 1994, Pocket computer for word processing; James M. Lapeyre, deceased, 364/709.12, 710.14 [IMAGE AVAILABLE]
- 30. 5,706,509, Jan. 6, 1998, Application independent record level synchronization; Michael Man-Hak Tso, 707/201, 200, 202 [IMAGE AVAILABLE]
- 31. 5,586,198, Dec. 17, 1996, Method and apparatus for identifying characters in ideographic alphabet; David Lakritz, 382/185; 400/110 [IMAGE AVAILABLE]
- 32. 5,575,576, Nov. 19, 1996, Keyboard; Brunn W. Roysden, Jr., 400/472; 341/22; 400/88, 486 [IMAGE AVAILABLE]
- 33. 5,483,586, Jan. 9, 1996, Electronic on-line subscriber telephone directory; Lester Sussman, 379/201, 216, 355 [IMAGE AVAILABLE]

* * * * * RECONNECTED TO U.S. Patent & Trademark Office * * * * * * SESSION RESUMED IN FILE 'USPAT' AT 11:58:23 ON 23 SEP 1998
FILE 'USPAT' ENTERED AT 11:58:23 ON 23 SEP 1998
=> s software and wizard

74237 SOFTWARE
200 WIZARD
L5 67 SOFTWARE AND WIZARD

=> focus

PROCESSING COMPLETED FOR L5 L6 67 FOCUS L5 1-

=> d 1-67

- 1. 5.764.546, Jun. 9, 1998, DAQ configuration system and method for configuring channels in a data acquisition device; Deborah E. Bryant, et al., 702/108; 345/348, 965, 967, 970 [IMAGE AVAILABLE]
- 2. 5,784,555, Jul. 21, 1998, Automation and dial-time checking of system configuration for internet; Jeremy Daniel Stone, 395/200.5 [IMAGE AVAILABLE]
- 3. 5,602,982, Feb. 11, 1997, Universal automated training and testing software system; Wallace P. Judd, et al., 345/326, 352; 434/118; 706/927 [IMAGE AVAILABLE]
- 4. 5.768,148, Jun. 16, 1998, Man machine interface for power management control systems; Thomas A. Murphy, et al., 364/528.21; 345/332; 702/67 [IMAGE AVAILABLE]
- 5. 5,764,155, Jun. 9, 1998, Dynamic data exchange server; Veronica Kertesz, et al., 340/825.08, 825.06, 870.02, 870.03, 870.13; 370/432; 379/100.04, 100.07 [IMAGE AVAILABLE]
- 6. 5.432,940, Jul. 11, 1995, System and methods for improved computer-based training; Richard J. Potts, et al., 395/682; 364/221.3, 286, DIG.1 [IMAGE AVAILABLE]
- 7. 5.461,699, Oct. 24, 1995, Forecasting using a neural network and a statistical forecast; Mansur Arbabi, et al., 706/21, 25, 925 [IMAGE AVAILABLE]
- 8. 5.033.753, Jul. 23, 1991, Method of playing a strategic board game: Tom Yuen, et al., 273/261, 262 [IMAGE AVAILABLE]
- 9. 5.778.187. Jul. 7. 1998. Multicasting method and apparatus: Antonio M. Monteiro, et al., 395/200.61; 370/351 [IMAGE AVAILABLE]
- 10. 5.797.031, Aug. 18. 1998, Method and apparatus for peripheral device control by clients in plural memory addressing modes; Raymond E. Shapiro.

, p

- 11. 5,790,855, Aug. 4, 1998, System, method and article of manufacture for type checking appropriateness of port connection and variable type matching in connection with multiport object-oriented components; Antony Azio Faustini, 395/701; 345/348 [IMAGE AVAILABLE]
- 12. 5,802,511, Sep. 1, 1998, Data retrieval method and apparatus with multiple source capability; David B. Kouchi, et al., 707/2, 1, 5, 6, 9, 10 [IMAGE AVAILABLE]
- 13. 5.504.864. Apr. 2, 1996, Low power-consumption interface apparatus and method for transferring data between a hand-held computer and a desk top computer; Lawrence H. Berg, 395/200.83; 364/238.6, 239, 260, 260.1, DIG.1, DIG.2 [IMAGE AVAILABLE]
- 14. 5.664,204, Sep. 2. 1997, Apparatus and method for supplying power and wake-up signal using host port's signal lines of opposite polarities; Lichen Wang, 395/750.01; 326/62; 395/750.05, 882 [IMAGE AVAILABLE]
- 15. 5,577,180, Nov. 19, 1996, Zone data streaming for 3-dimensional video environment; Lawrence P. Reed, 345/435, 302 [IMAGE AVAILABLE]
- 16. 5,760.788, Jun. 2. 1998, Graphical programming system and method for enabling a person to learn text-based programming; Devindra S. Chainini, et al., 345/474, 348, 967 [IMAGE AVAILABLE]
- 17. 5,627,958, May 6. 1997, System and method for improved computer-based training: Richard J. Potts, et al., 345/336, 302, 340, 348; 434/118 [IMAGE AVAILABLE]
- 18. 5.600.841, Feb. 4, 1997, Method and apparatus for anticipatory power management for low power data; Michael F. Culbert, 395/750.01, 182.12, 183.12 [IMAGE AVAILABLE]
- 19. 5.497.464, Mar. 5, 1996, Address mapping logic for transferring data between a peripheral device of a base function expander unit and a palmtop computer as if the peripheral was a peripheral of the computer; Keming W. Yeh, 395/281; 364/231, 231.1, 231.2, 240, 240.2, 708.1, DIG.1; 395/308, 846 [IMAGE AVAILABLE]
- 20. 5,767,854, Jun. 16, 1998, Multidimensional data display and manipulation system and methods for using same; Mohammed S. Anwar, 345/355, 419 [IMAGE AVAILABLE]
- 21. 5,727,159, Mar. 10, 1998, System in which a Proxy-Server translates information received from the Internet into a form/format readily usable by low power portable computers; Dan Kikinis. 395/200.76 [IMAGE AVAILABLE]
- 22. 5,621,079, Apr. 15, 1997, Neuropeptide Y receptor; Margaret A. Cascieri, et al., 530/350; 435/69.1 [IMAGE AVAILABLE]
- 23. 5,752.027, May 12, 1998, Apparatus and process for creating and accessing a database centric object; Robert F. Familiar, 707/103; 395/677; 707/100 [IMAGE AVAILABLE]
- 24. 5,684.924. Nov. 4, 1997. User adaptable speech recognition system; Barbara Ann Stanley, et al., 704/233, 244 [IMAGE AVAILABLE]

- 25. 5.465.401, Nov. 7, 19 Communication system and methods for enhanced information transfer; E. Earle Thompson, 455/558; 379/357, 420; 455/90, 343, 349, 411, 420, 501, 563, 564, 566 [IMAGE AVAILABLE]
- 26. 5,335,276, Aug. 2, 1994, Communication system and methods for enhanced information transfer; E. Earle Thompson, et al., 380/21; 379/88.02, 88.13, 201, 357, 434; 380/23, 25; 455/74, 186.1, 558, 563, 566; 704/246, 272, 275 [IMAGE AVAILABLE]
- 27. 5.778.402, Jul. 7, 1998, Method and system for auto-formatting a document using an event-based rule engine to format a document as the user types; Dale L. Gipson, 707/530, 523, 531 [IMAGE AVAILABLE]
- 28. 5.754,737, May 19, 1998, System for supporting interactive text correction and user guidance features; Dale L. Gipson, 706/11, 47 [IMAGE AVAILABLE]
- 29. 5.593,349, Jan. 14, 1997, Automated league and tournament system for electronic games; Edward K. Miguel, et al., 463/30; 273/371; 463/1 [IMAGE AVAILABLE]
- 30. 5.483,052, Jan. 9, 1996. System for reading, storing and using bar-encoded data from a coded business card or other printed material; Herbert J. Smith, III, et al., 235/472, 380 [IMAGE AVAILABLE]
- 31. 5,475,375, Dec. 12, 1995, Electronic access control systems; Martin A. Barrett, et al., 340/825.31; 379/102.06 [IMAGE AVAILABLE]
- 32. 5.701.423. Dec. 23, 1997, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms: Keith Crozier, 345/335; 395/200.83; 705/22, 28; 707/102, 505 [IMAGE AVAILABLE]
- 33. 5,666,553. Sep. 9, 1997, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 707/540, 203 [IMAGE AVAILABLE]
- 34. 5,654,696, Aug. 5, 1997, Method for transferring auxillary data using components of a secure entry system; Martin A. Barrett, et al., 340/825.31; 70/63; 379/102.06 [IMAGE AVAILABLE]
- 35. 5,811,238, Sep. 22, 1998, Methods for generating polynucleotides having desired characteristics by iterative selection and recombination; Willem P. C. Stemmer, et al., 435/6 [IMAGE AVAILABLE]
- 36. 5.802.296, Sep. 1, 1998, Supervisory powers that provide additional control over images on computers system displays to users interactings via computer systems; Norman Morse, et al., 395/200.38; 345/7, 8; 395/200.33, 200.39 [IMAGE AVAILABLE]
- 37. 5,786,921, Jul. 28, 1998, Infrared communication device for multistandard operations: Li-Chen Wang, et al., 359/152, 113 [IMAGE AVAILABLE]
- 38. 5,766,850, Jun. 16, 1998, Human .beta.2 integrin .alpha. subunit; W. Michael Gallatin, et al., 435/6, 7.2, 7.8; 536/25.4 [IMAGE AVAILABLE]
- 39. 5.728,533, Mar. 17, 1998, Human .beta..sub.2 integrin .alpha.subunit; W. Michael Gallatin, et al., 435/7.1, 7.8; 530/350, 380

- 40. 5,719,028, Feb. 17, 1998, Cleavase fragment length polymorphism; James E. Dahlberg, et al., 435/6, 19, 91.53, 199 [IMAGE AVAILABLE]
- 41. 5,708,816, Jan. 13, 1998, Method and apparatus for interrupt management for low power PDA; Michael F. Culbert, 395/737, 673, 726, 735 [IMAGE AVAILABLE]
- 42. 5,656,422, Aug. 12. 1997, Compositions and methods for detection of 2,4-dichlorophenoxyacetic acid and related compounds; Ronald L. Crawford, et al., 435/4, 25, 42, 46, 174, 177, 179, 180, 325, 348, 349, 358, 365, 367, 419, 810, 822, 829, 849 [IMAGE AVAILABLE]
- 43. 5,643,723, Jul. 1, 1997, Detection of a genetic locus encoding resistance to rifampin in mycobacterial cultures and in clinical specimens; David H. Persing, et al., 435/6, 91.1, 91.2, 863; 536/23.7, 24.32, 24.33 [IMAGE AVAILABLE]
- 44. 5,617,236, Apr. 1, 1997, Infrared communication device for multistandard operations; Li-Chen Wang, et al., 359/172, 137, 176; 375/214 [IMAGE AVAILABLE]
- 45. 5,470,953, Nov. 28, 1995, Human .beta..sub.2 integrin .alpha. subunit; W. Michael Gallatin, et al., 530/350; 536/22.1, 23.1, 23.4, 23.5 [IMAGE AVAILABLE]
- 46. 5.392,447, Feb. 21, 1995, Image-based electronic pocket organizer with integral scanning unit; Carl W. Schlack, et al., 345/339; 364/231, 231.1, 231.2, 231.3, 231.31, 237.82, 237.9, 709.11, DIG.1; 379/355 [IMAGE AVAILABLE]
- 47. 5.392,390, Feb. 21, 1995, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier. 345/335; 707/505 [IMAGE AVAILABLE]
- 48. 5,289,394, Feb. 22, 1994, Pocket computer for word processing; James M. Lapeyre, deceased, 364/709.12, 710.14 [IMAGE AVAILABLE]
- 49. 4.199.814. Apr. 22. 1980. Computer numerical control machine tool; Edward J. Rapp. et al., 364/474.22; 318/568.1, 573, 574; 364/192, 474.26, 474.31, 921, 921.2, 926.9, 927.2, 927.5, 927.8, 928, 933.8, 937, 940, 940.1, 940.2, 942.8, 943.9, 944.92, 946, 949, 952, 952.4, 952.5, 952.6, 959.1, 964, 965, 965.5, 965.76, DIG.2 [IMAGE AVAILABLE]
- 50.~5.781.190, Jul. 14, 1998, Method and system for transferring a slide presentation between computers; David P. H. Gorbet, et al., 345/335; 395/200.3 [IMAGE AVAILABLE]
- 51. 5,744.343. Apr. 28, 1998, Ubiquitin conjugating enzymes; Giulio Draetta, et al., 435/193, 252.3, 254.11, 320.1, 325; 536/23.2, 23.4 [IMAGE AVAILABLE]
- 52. 5.706.509, Jan. 6, 1998, Application independent record level synchronization; Michael Man-Hak Tso. 707/201, 200, 202 [IMAGE AVAILABLE]
- 53. 5,698,807, Dec. 16, 1997, Digital sampling instrument; Dana C. Massie, et al., 84/661, DIG.9; 381/61; 704/262, 264, 268 [IMAGE AVAILABLE]

- 54. 5,605,797, Feb. 25, 13. Bovine .beta.-mannosidase gene and me of use; Karen Friderici, et al., 435/6, 91.2; 536/23.1, 24.3, 24.31, 24.33 [IMAGE AVAILABLE]
- 55. 5,586,198, Dec. 17, 1996, Method and apparatus for identifying characters in ideographic alphabet; David Lakritz, 382/185; 400/110 [IMAGE AVAILABLE]
- 56. 5,483,586, Jan. 9, 1996, Electronic on-line subscriber telephone directory: Lester Sussman, 379/201, 216, 355 [IMAGE AVAILABLE]
- 57. 5,437,958, Aug. 1, 1995, Human .beta..sub.2 integrin .alpha. subunit; William M. Gallatin, et al., 435/365, 69.1, 252.3; 530/350; 536/22.1, 23.1, 23.5 [IMAGE AVAILABLE]
- 58. 5,248,845, Sep. 28, 1993, Digital sampling instrument; Dana C. Massie, et al., 84/622, 661, DIG.9, DIG.10 [IMAGE AVAILABLE]
- 59. 5,792,611, Aug. 11, 1998, Detection of plant pathogenic fungi; Richard C. Hamelin, 435/6, 4; 536/24.32, 24.33 [IMAGE AVAILABLE]
- 60. 5,789,802, Aug. 4, 1998, Dopant profile spreading for arsenic source/drain; Nicholas H. Tripsas, 257/607, 383, 384 [IMAGE AVAILABLE]
- 61. 5.747,655, May 5, 1998, Neurturin and related growth factors; Eugene M. Johnson, Jr., et al., 530/399; 435/358; 530/350 [IMAGE AVAILABLE]
- 62. 5,739,307, Apr. 14, 1998, Polynucleotide encoding neurturin neurotrophic factor; Eugene M. Johnson, Jr., et al., 536/23.51; 435/69.1, 252.3, 320.1, 325, 348; 536/24.31 [IMAGE AVAILABLE]
- 63. 5,637,463, Jun. 10, 1997, Method to detect protein-protein interactions; Stephen Dalton, et al., 435/6, 69.7, 320.1; 530/350; 536/23.4, 23.5 [IMAGE AVAILABLE]
- 64. 5,576.423, Nov. 19, 1996, Antibodies to the slam protein expressed on activated T cells; Gregorio Aversa, et al., 530/388.75; 424/154.1; 435/70.21, 331, 343.2; 530/387.9, 389.6, 391.3 [IMAGE AVAILABLE]
- 65. 5,575,576, Nov. 19, 1996, Keyboard; Brunn W. Roysden, Jr., 400/472; 341/22; 400/88, 486 [IMAGE AVAILABLE]
- 66. 5,532,641, Jul. 2, 1996, ASK demodulator implemented with digital bandpass filter; Peruvemba S. Balasubramanian, et al., 329/311, 361; 375/320, 343 [IMAGE AVAILABLE]
- 67. 5,337.263. Aug. 9, 1994, Simplified checkbook balancing computer system; John J. Patermaster, 364/705.02; 235/380; D14/106 [IMAGE AVAILABLE]

=> s software and wizard

74237 SOFTWARE 200 WIZARD 67 SOFTWARE AND WIZARD

=> focus

L3

PROCESSING COMPLETED FOR L3 L4 67 FOCUS L3 1-

=> d 1-67

- 1. 5,764,546. Jun. 9, 1998, DAQ configuration system and method for configuring channels in a data acquisition device; Deborah E. Bryant, et al., 702/108; 345/348, 965, 967, 970 [IMAGE AVAILABLE]
- 2. 5.784,555, Jul. 21, 1998, Automation and dial-time checking of system configuration for internet; Jeremy Daniel Stone, 395/200.5 [IMAGE AVAILABLE]
- 3. 5,602,982, Feb. 11, 1997, Universal automated training and testing software system; Wallace P. Judd, et al., 345/326, 352; 434/118; 706/927 [IMAGE AVAILABLE]
- 4. 5.768.148, Jun. 16. 1998, Man machine interface for power management control systems; Thomas A. Murphy, et al., 364/528.21; 345/332; 702/67 [IMAGE AVAILABLE]
- 5. 5,764.155, Jun. 9, 1998, Dynamic data exchange server; Veronica Kertesz, et al., 340/825.08, 825.06, 870.02, 870.03, 870.13; 370/432; 379/100.04, 100.07 [IMAGE AVAILABLE]
- 6. 5.432,940. Jul. 11, 1995, System and methods for improved computer-based training; Richard J. Potts, et al., 395/682; 364/221.3, 286, DIG.1 [IMAGE AVAILABLE]
- 7. 5,461,699, Oct. 24, 1995, Forecasting using a neural network and a statistical forecast; Mansur Arbabi, et al., 706/21, 25, 925 [IMAGE AVAILABLE]
- 8. 5.033.753, Jul. 23, 1991, Method of playing a strategic board game: Tom Yuen, et al., 273/261, 262 [IMAGE AVAILABLE]
- 9. 5,778.187, Jul. 7, 1998, Multicasting method and apparatus; Antonio M. Monteiro, et al., 395/200.61; 370/351 [IMAGE AVAILABLE]
- 10. 5.797.031, Aug. 18, 1998, Method and apparatus for peripheral device control by clients in plural memory addressing modes; Raymond E. Shapiro, et al., 395/828, 840, 856, 868 [IMAGE AVAILABLE]

7

- 11. 5,790.855, Aug. 4, 19 System, method and article of manufact for type checking appropriates of port connection and variable type matching in connection with multiport object-oriented components; Antony Azio Faustini, 395/701; 345/348 [IMAGE AVAILABLE]
- 12. 5,802,511, Sep. 1, 1998, Data retrieval method and apparatus with multiple source capability; David B. Kouchi, et al., 707/2, 1, 5, 6, 9, 10 [IMAGE AVAILABLE]
- 13. 5,504.864. Apr. 2, 1996, Low power-consumption interface apparatus and method for transferring data between a hand-held computer and a desk top computer: Lawrence H. Berg, 395/200.83; 364/238.6, 239, 260, 260.1, DIG.1, DIG.2 [IMAGE AVAILABLE]
- 14. 5.664.204. Sep. 2, 1997. Apparatus and method for supplying power and wake-up signal using host port's signal lines of opposite polarities; Lichen Wang, 395/750.01; 326/62; 395/750.05, 882 [IMAGE AVAILABLE]
- 15. 5,577,180, Nov. 19, 1996, Zone data streaming for 3-dimensional video environment; Lawrence P. Reed, 345/435, 302 [IMAGE AVAILABLE]
- 16. 5.760.788. Jun. 2, 1998. Graphical programming system and method for enabling a person to learn text-based programming: Devindra S. Chainini, et al., 345/474. 348. 967 [IMAGE AVAILABLE]
- 17. 5,627,958, May 6, 1997, System and method for improved computer-based training; Richard J. Potts, et al., 345/336, 302, 340, 348; 434/118 [IMAGE AVAILABLE]
- 18. 5,600,841, Feb. 4, 1997, Method and apparatus for anticipatory power management for low power data; Michael F. Culbert, 395/750.01, 182.12, 183.12 [IMAGE AVAILABLE]
- 19. 5,497.464. Mar. 5, 1996, Address mapping logic for transferring data between a peripheral device of a base function expander unit and a palmtop computer as if the peripheral was a peripheral of the computer; Keming W. Yeh, 395/281; 364/231, 231.1, 231.2, 240, 240.2, 708.1, DIG.1; 395/308, 846 [IMAGE AVAILABLE]
- 20. 5.767.854, Jun. 16, 1998, Multidimensional data display and manipulation system and methods for using same; Mohammed S. Anwar, 345/355, 419 [IMAGE AVAILABLE]
- 21. 5.727.159. Mar. 10. 1998. System in which a Proxy-Server translates information received from the Internet into a form/format readily usable by low power portable computers; Dan Kikinis. 395/200.76 [IMAGE AVAILABLE]
- 22. 5,621,079, Apr. 15, 1997, Neuropeptide Y receptor; Margaret A. Cascieri, et al., 530/350; 435/69.1 [IMAGE AVAILABLE]
- 23. 5.752.027, May 12, 1998. Apparatus and process for creating and accessing a database centric object; Robert F. Familiar, 707/103; 395/677; 707/100 [IMAGE AVAILABLE]
- 24. 5.684.924, Nov. 4. 1997, User adaptable speech recognition system; Barbara Ann Stanley, et al., 704/233, 244 [IMAGE AVAILABLE]
- 25. 5,465,401, Nov. 7, 1995, Communication system and methods for


- 57.
- 26. 5,335,276, Aug. 2. 1994, Communication system and methods for enhanced information transfer; E. Earle Thompson, et al., 380/21; 379/88.02, 88.13, 201, 357, 434; 380/23, 25; 455/74, 186.1, 558, 563, 566; 704/246, 272, 275 [IMAGE AVAILABLE]
- 27. 5.778.402, Jul. 7. 1998, Method and system for auto-formatting a document using an event-based rule engine to format a document as the user types; Dale L. Gipson, 707/530, 523, 531 [IMAGE AVAILABLE]
- 28. 5,754,737, May 19, 1998, System for supporting interactive text correction and user guidance features; Dale L. Gipson, 706/11, 47 [IMAGE AVAILABLE]
- 29. 5.593,349, Jan. 14. 1997, Automated league and tournament system for electronic games; Edward K. Miguel, et al., 463/30; 273/371; 463/1 [IMAGE AVAILABLE]
- 30. 5.483,052, Jan. 9, 1996, System for reading, storing and using bar-encoded data from a coded business card or other printed material; Herbert J. Smith, III, et al., 235/472, 380 [IMAGE AVAILABLE]
- 31. 5.475,375, Dec. 12, 1995, Electronic access control systems; Martin A. Barrett, et al., 340/825.31; 379/102.06 [IMAGE AVAILABLE]
- 32. 5,701.423, Dec. 23, 1997, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 345/335; 395/200.83; 705/22, 28; 707/102, 505 [IMAGE AVAILABLE]
- 33. 5,666,553, Sep. 9, 1997, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 707/540, 203 [IMAGE AVAILABLE]
- 34. 5,654,696, Aug. 5, 1997, Method for transferring auxillary data using components of a secure entry system; Martin A. Barrett, et al., 340/825.31; 70/63; 379/102.06 [IMAGE AVAILABLE]
- 35. 5.811.238, Sep. 22, 1998, Methods for generating polynucleotides having desired characteristics by iterative selection and recombination; Willem P. C. Stemmer, et al., 435/6 [IMAGE AVAILABLE]
- 36. 5.802.296, Sep. 1, 1998, Supervisory powers that provide additional control over images on computers system displays to users interactings via computer systems; Norman Morse, et al., 395/200.38; 345/7, 8; 395/200.33, 200.39 [IMAGE AVAILABLE]
- 37.~5.786,921, Jul. 28.~1998, Infrared communication device for multistandard operations; Li-Chen Wang, et al., 359/152.~113 [IMAGE AVAILABLE]
- 38. 5,766,850, Jun. 16, 1998, Human .beta.2 integrin .alpha. subunit; W. Michael Gallatin, et al., 435/6, 7.2, 7.8; 536/25.4 [IMAGE AVAILABLE]
- 39. 5.728.533, Mar. 17, 1998, Human .beta..sub.2 integrin .alpha.subunit; W. Michael Gallatin. et al., 435/7.1, 7.8; 530/350, 380 [IMAGE AVAILABLE]

- 41. 5,708,816, Jan. 13, 1998, Method and apparatus for interrupt management for low power PDA; Michael F. Culbert, 395/737, 673, 726, 735 [IMAGE AVAILABLE]
- 42. 5.656.422, Aug. 12. 1997. Compositions and methods for detection of 2.4-dichlorophenoxyacetic acid and related compounds; Ronald L. Crawford, et al., 435/4, 25, 42, 46, 174, 177, 179, 180, 325, 348, 349, 358, 365, 367, 419, 810, 822, 829, 849 [IMAGE AVAILABLE]
- 43. 5,643,723, Jul. 1, 1997, Detection of a genetic locus encoding resistance to rifampin in mycobacterial cultures and in clinical specimens; David H. Persing, et al., 435/6, 91.1, 91.2, 863; 536/23.7, 24.32, 24.33 [IMAGE AVAILABLE]
- 44. 5,617,236, Apr. 1, 1997, Infrared communication device for multistandard operations; Li-Chen Wang, et al., 359/172, 137, 176; 375/214 [IMAGE AVAILABLE]
- 45. 5,470,953, Nov. 28, 1995, Human .beta..sub.2 integrin .alpha. subunit; W. Michael Gallatin, et al., 530/350; 536/22.1, 23.1, 23.4, 23.5 [IMAGE AVAILABLE]
- 46. 5,392,447, Feb. 21, 1995, Image-based electronic pocket organizer with integral scanning unit; Carl W. Schlack, et al., 345/339; 364/231, 231.1, 231.2, 231.3, 231.31, 237.82, 237.9, 709.11, DIG.1; 379/355 [IMAGE AVAILABLE]
- 47. 5,392,390, Feb. 21, 1995, Method for mapping, translating, and dynamically reconciling data between disparate computer platforms; Keith Crozier, 345/335; 707/505 [IMAGE AVAILABLE]
- 48. 5,289,394, Feb. 22, 1994, Pocket computer for word processing; James M. Lapeyre, deceased, 364/709.12, 710.14 [IMAGE AVAILABLE]
- 49. 4,199.814. Apr. 22. 1980. Computer numerical control machine tool; Edward J. Rapp. et al., 364/474.22; 318/568.1, 573, 574; 364/192, 474.26, 474.31, 921. 921.2, 926.9, 927.2, 927.5, 927.8, 928, 933.8, 937, 940, 940.1, 940.2, 942.8, 943.9, 944.92, 946, 949, 952, 952.4, 952.5, 952.6, 959.1, 964, 965, 965.5, 965.76, DIG.2 [IMAGE AVAILABLE]
- 50. 5.781.190, Jul. 14. 1998, Method and system for transferring a slide presentation between computers; David P. H. Gorbet, et al., 345/335; 395/200.3 [IMAGE AVAILABLE]
- 51. 5,744,343, Apr. 28, 1998, Ubiquitin conjugating enzymes; Giulio Draetta, et al., 435/193, 252.3, 254.11, 320.1, 325; 536/23.2, 23.4 [IMAGE AVAILABLE]
- 52. 5,706.509, Jan. 6, 1998, Application independent record level synchronization; Michael Man-Hak Tso, 707/201, 200, 202 [IMAGE AVAILABLE]
- 53. 5.698.807, Dec. 16, 1997, Digital sampling instrument; Dana C. Massie. et al., 84/661, DIG.9; 381/61; 704/262, 264, 268 [IMAGE AVAILABLE]
- 54. 5.605.797, Feb. 25, 1997. Bovine .beta.-mannosidase gene and methods



- 55. 5,586,198, Dec. 17, 1996, Method and apparatus for identifying characters in ideographic alphabet; David Lakritz, 382/185; 400/110 [IMAGE AVAILABLE]
- 56. 5,483,586, Jan. 9, 1996, Electronic on-line subscriber telephone directory; Lester Sussman, 379/201, 216, 355 [IMAGE AVAILABLE]
- 57. 5.437,958. Aug. 1, 1995, Human .beta..sub.2 integrin .alpha. subunit; William M. Gallatin, et al., 435/365, 69.1, 252.3; 530/350; 536/22.1, 23.1, 23.5 [IMAGE AVAILABLE]
- 58. 5,248,845, Sep. 28, 1993. Digital sampling instrument; Dana C. Massie, et al., 84/622, 661, DIG.9, DIG.10 [IMAGE AVAILABLE]
- 59. 5,792,611, Aug. 11, 1998, Detection of plant pathogenic fungi; Richard C. Hamelin, 435/6, 4; 536/24.32, 24.33 [IMAGE AVAILABLE]
- 60. 5,789,802. Aug. 4, 1998, Dopant profile spreading for arsenic source/drain; Nicholas H. Tripsas, 257/607, 383, 384 [IMAGE AVAILABLE]
- 61. 5,747.655. May 5, 1998, Neurturin and related growth factors; Eugene M. Johnson, Jr., et al., 530/399; 435/358; 530/350 [IMAGE AVAILABLE]
- 62. 5,739,307. Apr. 14, 1998, Polynucleotide encoding neurturin neurotrophic factor; Eugene M. Johnson, Jr., et al., 536/23.51; 435/69.1, 252.3, 320.1, 325, 348; 536/24.31 [IMAGE AVAILABLE]
- 63. 5,637,463, Jun. 10. 1997, Method to detect protein-protein interactions: Stephen Dalton, et al., 435/6, 69.7, 320.1; 530/350; 536/23.4, 23.5 [IMAGE AVAILABLE]
- 64. 5,576,423, Nov. 19. 1996, Antibodies to the slam protein expressed on activated T cells; Gregorio Aversa, et al., 530/388.75; 424/154.1; 435/70.21, 331, 343.2; 530/387.9, 389.6, 391.3 [IMAGE AVAILABLE]
- 65. 5,575,576, Nov. 19, 1996, Keyboard: Brunn W. Roysden, Jr., 400/472; 341/22; 400/88, 486 [IMAGE AVAILABLE]
- 66. 5,532,641. Jul. 2, 1996, ASK demodulator implemented with digital bandpass filter; Peruvemba S. Balasubramanian, et al., 329/311, 361; 375/320, 343 [IMAGE AVAILABLE]
- 67. 5,337,263, Aug. 9, 1994, Simplified checkbook balancing computer system: John J. Patermaster. 364/705.02; 235/380; D14/106 [IMAGE AVAILABLE]

CLAIM DEPENDENCY TREE



INVENTOR(S): CASE TITLE: SERIAL NUMBER:

CLASS: SUBCLASS: FILING DATE:

DATE:

DRYER, David C.; WILSON Leslie R. Selection of Graphical User Interface Agents by Cluster Analysis. 08/767,928

706

17 DEC 96 18 SEP 98

This Page is inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLORED OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER: hole punched over text)

IMAGES ARE BEST AVAILABLE COPY.
As rescanning documents will not correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox